© VitisDb 2010-2016 - ISSN 2282-006x

Palomba

release 18/06/2015, **Last update** 18/06/2015 **url** http://vitisdb.it/accessions/show/16432

Information managed by

Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria - Centro di ricerca per la viticoltura (Conegliano TV)

General information

name Palomba
code ITA388-293.04
country of selection Italia
region of selection Friuli-Venezia Giulia
province of selection not available
locality of selection not available
holding institution not available
collection vineyard Campo di conservazione Azienda Pantianicco di Beano, Codroipo (Udine)

Variety & clone

type of origin spontanea
genera Vitis
specie Vitis vinifera
subspecie sativa
variety Palomba
variety code IVD-var_240
clone not available
trueness to type confirmed by ampelography and SSR-markers

Trueness to type

True-name

confirmed **not available**

Trueness to type confirmed by ampelography

confirmation by ampelography **confirmed**

Trueness to type confirmed by SSR-markers

confirmation by SSR-markers **confirmed**

compared loci n.a.

identical loci n.a.

discrepancies n.a.

Standardized microsatellite profile

loci:	predefined loci (9)																	
SSR locus:	VVS2		VVMD5		VVMD7		VVMD27		VrZAG62		VrZAG79		VVMD25		VVMD28		VVMD32	
allele:	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2
size:	135	143	225	231	247	247	189	194	194	196	251	257	256	256	239	251	241	265

other Locus info available online

© VitisDb 2010-2016 - ISSN 2282-006x

Images

shoot

leaf

leafLs

bunch



berry

seed

Ampelography

OIV	description	value		images
001	Young shoot: opening of the shoot tip	5	fully open	
004	Young Shoot: density of prostrate hairs on tip	1	none or very low	
007	Shoot: color of dorsal side of internodes	1	green	
008	Shoot: color of ventral side of internodes	1	green	
016	Shoot: number of consecutive tendrils	1	2 or less	
051	Young leaf: color of the upper side of blade (4 th leaf)	2	yellow	
053	Young leaf: density of prostrate hairs between main veins on lower side of blade (4th leaf)	1	none or very low	
065	Mature leaf: size of blade	5	medium	
067	Mature leaf: shape of blade	3	pentagonal	
068	Mature leaf: number of lobes	4	seven	
070	Mature leaf: area of anthocyanin coloration of main veins on upper side of blade	1	absent	
072	Mature leaf: goffering of blade	7	strong	
074	Mature leaf: profile of blade in cross section	1	flat	
075	Mature leaf: blistering of upper side of blade	3	weak	
076	Mature leaf: shape of teeth	2	both sides straight	
078	Mature leaf: length of teeth compared with their width	3	short	
079	Mature leaf: degree of opening / overlapping of petiole sinus	7	overlapped	
080	Mature leaf: shape of base of petiole sinus	3	V-shaped	
081-1	Mature leaf: teeth in the petiole sinus	1	none	
081-2	Mature leaf: petiole sinus base limited by veins	1	not limited	
083-2	Mature leaf: teeth in the upper lateral sinuses	1	none	
084	Mature leaf: density of prostrate hairs between the main veins on lower side of blade	1	none or very low	
087	Mature leaf: density of erect hairs on main veins on lower side of blade	5	medium	
093	Mature leaf: length of petiole compared to length of middle vein	3	slightly shorter	

151	Flower: sexual organs	3	fully developed stamens and fully developed gynoecium	
153	Inflorescence: number of inflorescences per shoot	2	1,1 to 2 inflorescences	
155	Shoot: fertility of basal buds (buds 1-3)	5	medium (1,1-1,3)	
202	Bunch: length (peduncle excluded)	5	medium	
204	Bunch: density	7	dense	
206	Bunch: length of peduncle of primary bunch	3	short	
208	Bunch: shape	2	conical	
209	Bunch: number of wings of the primary bunch	2 / 3	1 - 2 wings / 3 - 4 wings	
220	Berry: length	5	medium	
221	Berry: width	5	medium	
223	Berry: shape	2	globose	
225	Berry: color of skin	5	dark red violet	
236	Berry: particularity of flavor	1	none	
241	Berry: formation of seeds	3	complete	

Ampelometry

OIV

no descriptors available for Palomba

Superampelo

no SuperAmpelo descriptors available for Palomba

Phenology & production

OIV	description	value	
301	Time of bud burst	3	early
302	Time of full bloom	5 / 7	medium / late
303	Time of beginning of berry ripening (veraison)	9	very late
304	Time of physiological stage of full maturity of the berry	9	very late
502	Bunch: weight of a single bunch	3	low (250-350 g)
503	Berry: single berry weight	3	low (2,5-3,5 g)
505	Sugar content of must	5	medium (17,2-18,8)
506	Total acid content of must	5	medium (8,2-9,8)
508	must specific pH	5	medium (3,2-3,3)

Agronomic

no descriptors available for Palomba

Berry polyphenols

no polyphenolic descriptors available for Palomba

Berry aroma

no aroma descriptors available for Palomba

Other descr.

no other descriptors available for Palomba

Accessions of the same variety (1)

- Palomba - Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria - Centro di ricerca per la viticoltura (Conegliano TV)

Note

Foto di Paolo Sivilotti, fonte ERSA.