© VitisDb 2010-2016 - ISSN 2282-006x

Massaretta n (MC32)

D'Onofrio C., Fausto C., Ducci E., Matarese F., Scalabrelli G., 2015. Massaretta n (MC32), var Barsaglina. In: Italian Vitis Database, www.vitisdb.it, ISSN 2282-006X

release 15/07/2015, **Last update** 15/07/2015 **url** http://vitisdb.it/accessions/show/16528

Information managed by

Dipartimento di Scienze Agrarie, Alimentari e Agro-ambientali (DiSAAA-a) - Università di Pisa

Acknowledgments

Fondazione AGER (AGER Fundation)

General information

name Massaretta n (MC32)
code ITA419-1100
country of selection Italia
region of selection Toscana
province of selection Massa-Carrara
locality of selection Massa
holding institution Dipartimento di Scienze Agrarie, Alimentari e Agro-ambientali (DiSAAA-a) - Università di Pisa
collection vineyard Colignola (DiSAAA-a) - San Giuliano Terme (PI)

Variety & clone

type of origin spontanea
genera Vitis
specie Vitis vinifera
subspecie sativa
variety Barsaglina
variety code IVD-var_12
clone not available
trueness to type confirmed by ampelography and SSR-markers

Trueness to type

True-name

confirmed **yes**

related bibliography (1)

authors	year	title	journal	citation
Breviglieri N., Casini E.	1964	Barsaglina.		In Principali vitigni da vino coltivati in Italia. vol. III, Ministero Agricoltura e Foreste, Roma.

Trueness to type confirmed by ampelography

confirmation by ampelography **confirmed**

related bibliography (1)

authors	year	title	journal	citation
Breviglieri N., Casini E.	1964	Barsaglina.		In Principali vitigni da vino coltivati in Italia. vol. III, Ministero Agricoltura e Foreste, Roma.

Trueness to type confirmed by SSR-markers

confirmation by SSR-markers **confirmed**

compared loci **14**

identical loci **14**

discrepancies **Perfect match with the accession of 'Barsaglina' previous uploaded in the Italian Vitis Database**

© VitisDb 2010-2016 - ISSN 2282-006x

Standardized microsatellite profile

loci:	predefined loci (9)																	
SSR locus:	VVS2		VVMD5		VVMD7		VVMD27		VrZAG62		VrZAG79		VVMD25		VVMD28		VVMD32	
allele:	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2	A1	A2
size:	133	155	245	245	239	257	181	194	194	196	249	259	242	242	237	239	257	263

other Locus info available online

Images

shoot

shootTipUs

shootTipLs

leaf

leafUs

leafLs

petiol sinus

bunch

berry

seed

Ampelography

OIV	description	value		images
001	Young shoot: opening of the shoot tip	5	fully open	
003	Young Shoot: intensity of anthocyanin coloration on prostrate hairs of tip	1 / 3	none or very low / low	
004	Young Shoot: density of prostrate hairs on tip	7	high	
006	Shoot: attitude (before tying)	1 / 3	erect / semi-erect	
007	Shoot: color of dorsal side of internodes	1 / 2	green / green and red	
008	Shoot: color of ventral side of internodes	1	green	
016	Shoot: number of consecutive tendrils	1	2 or less	
051	Young leaf: color of the upper side of blade (4 th leaf)	2	yellow	
053	Young leaf: density of prostrate hairs between main veins on lower side of blade (4th leaf)	7	high	
067	Mature leaf: shape of blade	1 / 3	cordate / pentagonal	

068	Mature leaf: number of lobes	3	five	
070	Mature leaf: area of anthocyanin coloration of main veins on upper side of blade	1	absent	
072	Mature leaf: goffering of blade	1	absent or very weak	
074	Mature leaf: profile of blade in cross section	1	flat	
075	Mature leaf: blistering of upper side of blade	1 / 3	absent or very weak / weak	
076	Mature leaf: shape of teeth	3	both sides convex	
079	Mature leaf: degree of opening / overlapping of petiole sinus	3	open	
080	Mature leaf: shape of base of petiole sinus	1	U-shaped	
081-1	Mature leaf: teeth in the petiole sinus	1	none	
081-2	Mature leaf: petiole sinus base limited by veins	1	not limited	
083-2	Mature leaf: teeth in the upper lateral sinuses	1	none	
084	Mature leaf: density of prostrate hairs between the main veins on lower side of blade	3	low	
087	Mature leaf: density of erect hairs on main veins on lower side of blade	1	none or very low	
094	Mature leaf: depth of upper lateral sinuses	5	medium	
151	Flower: sexual organs	3	fully developed stamens and fully developed gynoecium	
152	Inflorescence: insertion of 1 st inflorescence	2	3rd and 4th node	
155	Shoot: fertility of basal buds (buds 1-3)	5 / 7	medium (1,1-1,3) / high (1,5-1,7)	
202	Bunch: length (peduncle excluded)	7	long	
204	Bunch: density	7 / 9	dense / very dense	
206	Bunch: length of peduncle of primary bunch	1	very short	
208	Bunch: shape	3	funnel shaped	
209	Bunch: number of wings of the primary bunch	2	1 - 2 wings	
220	Berry: length	3	short	
221	Berry: width	3	narrow	
223	Berry: shape	2	globose	
225	Berry: color of skin	6	blue black	
231	Berry: intensity of flesh anthocyanin coloration	5	medium	
235	Berry: firmness of flesh	3	very firm	
236	Berry: particularity of flavor	1	none	
241	Berry: formation of seeds	3	complete	

© VitisDb 2010-2016 - ISSN 2282-006x

Ampelometry



ampelometric leaf

OIV

OIV	PDF	description	value	
601	PDF	Mature leaf: length of vein N1	5	medium (135 mm)
602	PDF	Mature leaf: length of vein N2	7	long (125 mm)
603	PDF	Mature leaf: length of vein N3	5	medium (75 mm)
604	PDF	Mature leaf: length of vein N4	9	very long (55 mm and over)
605	PDF	Mature leaf: length petiole sinus to upper lateral leaf sinus	3	short (50 mm)
606	PDF	Mature leaf: length petiole sinus to lower lateral leaf sinus	3	short (45 mm)
607	PDF	Mature leaf: angle between N1 and N2 measured at the first ramification	3	small (30°-45°)
608	PDF	Mature leaf: angle between N2 and N3 measured at the first ramification	3	small (30°-45°)
609	PDF	Mature leaf: angle between N3 and N41) measured at the first ramification	7	large (56°-70°)
610	PDF	Mature leaf: angle between N3 and the tangent between petiole point	9	very large (> 70°)
612	PDF	Mature leaf: length of tooth N2	3	short (10 mm)
613	PDF	Mature leaf: width of tooth N2	3	narrow (10 mm)
614	PDF	Mature leaf: length of tooth N4	1	very short (6 mm)
615	PDF	Mature leaf: width of tooth N4	5	medium (14 mm)
617	PDF	Mature leaf: length between the tooth tip of N2 and the tooth tip of the first secondary vein of N2	3	short (30-45 mm)

Superampelo

distances		
descriptor	value	standard deviation
Distance from the petiole sinus to the upper right sinus	55.900	3.800
Distance from the petiole sinus to the upper left sinus	55.600	8.000
Vein N3, length from the petiole sinus to vein N4	11.300	2.000
Vein N3', length from the petiole sinus to vein N4'	11.300	1.500
Length of vein N5	22.000	1.700
Length of vein N5'	19.800	4.600
Length of vein N4	45.300	4.200
Length of vein N4'	41.600	6.400
Distance between petiole point and end of vein N4	52.600	6.100
Distance between petiole point and end of vein N4'	49.200	5.800
Leaf width	154.800	15.800
Leaf length	170.200	13.800
Petiole length	131.200	16.700
Leaf length Including the petiole	263.100	26.900
Distance between the ends of veins N2 and N2'	125.000	18.600
Length of vein N1	131.900	13.200
Distance between the ends of veins N4 and N4'	74.000	11.300
Distance between the ends of veins N3 and N3'	152.200	15.300
Length of vein N2	120.500	14.300
Width of petiole sinus / Distance between points SP and SP'	-17.600	4.100
Length of vein N3	79.200	6.600
Length of vein N2'	115.200	12.700
Distance between the tooth tip of N2 and the tooth tip of the first ramification (secondary vein) of N2	36.000	12.500
Length of vein N3'	74.800	8.600
Distance between the tooth tip of N2' and the tooth tip of the first ramification (secondary vein) of N2'	34.800	9.400
Distance from the petiole sinus to the lower right sinus	53.700	11.500
Distance from the petiole sinus to the lower left sinus	49.700	7.300

angles		
descriptor	value	standard deviation
Angle between N1 and N2 measured at the first bifurcation	46.600	2.400
Angle between N2 and N3 measured at the first bifurcation	43.400	5.800
Angle between N1 and N2' measured at the first bifurcation	43.700	5.900
Angle between N3 and N4 at the first fork of N3	57.700	8.000
Angle between N2 and N3' measured at the first bifurcation	46.000	4.100
Angle between N1 and N2 measured at the ends of the veins	33.100	5.800
Angle between N3' and N4'	59.100	9.200
Angle between N2 and N3 measured at the ends of the veins	51.700	8.300
Angle between N1' and N2' measured at the ends of the veins	30.800	5.200
Angle between N3 and N4 measured at the ends of the veins	51.800	5.900
Angle between N2' and N3' measured at the ends of the veins	50.700	4.300
Angle of opening of the petiole sinus measured at SP and at SP'	58.600	20.500
Angle between N3' and N4' measured at the ends of the veins	48.700	5.100
Angle between S and S' with the center in N1	31.200	5.000
Angle between D and D' with the center in N1	80.200	6.200
Angle between N2 and N3 measured at the petiole point and between N2 and N3 tooth tip	76.500	12.800
Angle between I and I' with the center in N1	45.700	6.800
Angle between N2 and N3 measured at the petiole point and between N2' and N3' tooth tip	70.700	7.900

rations		
descriptor	value	standard deviation
Multiplication between length and width of the leaf	26501.000	4538.000
Ratio between the length of the petiole OP and the length of the vein N1	0.998	0.115
Ratio between length and width of the leaf	1.103	0.060
Ratio between the distance from the sinus and the length of the vein N2	0.469	0.056
Media of the base of the teeth of the left side	4.989	1.005
Media of the base of the teeth of the right side	5.042	1.156
Media height of the teeth of the left side	4.496	1.044
Ratio between the height and the base of the tooth at the end of the vein N4'	0.511	0.127
Media height of the teeth of the right side	4.388	1.044
Ratio between the height and the base of the tooth at the end of the vein N2'	0.853	0.303
Ratio between the height and the base of the tooth at the end of the vein N4	0.530	0.105
Ratio between the height and the base of the teeth of the left side	0.922	0.251
Ratio between the height and the base of the tooth at the end of the vein N2	0.754	0.204
Ratio between the sum of the angles a' + b' and the sum of the distance between the petiole sinus and upper right sinus OS' and the petiole sinus and lower right lower right sinus OI'	0.015	0.003
Ratio between the height and the base of the teeth of the right side	0.891	0.257
Ratio between the length of the vein N5' and the length of the vein N1	0.150	0.029
Ratio between the sum of the angles a + b and the sum of the distance between the petiole sinus and upper right sinus OS and the petiole sinus and lower right lower right sinus OI	0.015	0.003
Ratio between the length of the vein N4' and the length of the vein N1	0.315	0.037
Ratio between the length of the vein N5 and the length of the vein N1	0.168	0.018
Ratio between the length of the vein N3' and the length of the vein N1	0.567	0.039
Ratio between the length of the vein N4 and the length of the vein N1	0.346	0.040
Ratio between the length of the vein N2' and the length of the vein N1	0.874	0.054
Ratio between the length of the vein N3 and the length of the vein N1	0.603	0.036
Ratio between the distance from the petiole sinus to the lower left sinus OI' and the length of vein N3'	0.671	0.119
Ratio between the length of the vein N2 and the length of the vein N1	0.914	0.057
Ratio between the distance from the sinus and the length of the vein N2'	0.483	0.046
Ratio between the distance from the petiole sinus to the lower right sinus OI and the length of vein N3	0.676	0.125

Phenology & production

OIV	description	value	
301	Time of bud burst	3	early
303	Time of beginning of berry ripening (veraison)	3 / 5	early / medium
351	Vigor of shoot growth	7	strong (90-100 g)
502	Bunch: weight of a single bunch	1 / 3	very low (<150 g) / low (250-350 g)
503	Berry: single berry weight	2	between very low and low (1,5-2,5 g)
504	Yield per m2	1 / 3	very low (<0,8 kg) / low (1,0-1,2 kg)
505	Sugar content of must	5	medium (17,2-18,8)
506	Total acid content of must	3	low (5,2-6,8)
508	must specific pH	7	high (3,4-3,5)

Agronomic

plant spacing & training system	value	standard deviation	number of years
Training system	Guyot		
Pruning System			
Distance between rows (m)	3.000		
Distance on the row (m)	1.000		

vigor	value	standard deviation	number of years
Number of shoots/canes per vine (number/vine)	6.750		2
Number of shoots/canes per meter of row (number/m)	6.750		2
Cane’s weight (g)	0.092	0.041	2
Pruning wood’s weight per vine (kg)	0.814		2
Pruning wood’s weight per vine meter of row (kg)	0.814		2

fertility	value	standard deviation	number of years
Fertility of basal buds (bunch/bud)	1.480	0.316	2
Number of bunch per shoots at flowering (number/shoot)	1.590	0.320	2

production's quantitative characteristics	value	standard deviation	number of years
Number of bunches per meter of row (number/m)	6.750		2
Number of bunches per vine (number/vine)	10.700	1.970	2
Weight of 100 berries (g)	1.819	0.128	2
Bunch’s weight (g)	156.000	58.400	2
Grape production per hectare (t/ha)	6.233		2
Grape production per meter of row (kg/m)	1.870		2
Grape production per vine (kg/ceppo)	1.870	0.474	2

production's qualitative characteristics	value	standard deviation	number of years
Titratable acidity of must (g/l)	6.040	0.990	2
pH (pH)	3.260	0.120	2
Sugar content of must (°Brix)	18.490	2.160	2

Berry polyphenols

no polyphenolic descriptors available for Massaretta n (MC32)

Berry aroma

no aroma descriptors available for Massaretta n (MC32)

Other descr.

no other descriptors available for Massaretta n (MC32)

Accessions of the same variety (2)

- Barsaglina (Poggio Gagliardo) - Dipartimento di Scienze Agrarie, Alimentari e Agro-ambientali (DiSAAA-a) - Università di Pisa
- Massaretta n (MC32) - Dipartimento di Scienze Agrarie, Alimentari e Agro-ambientali (DiSAAA-a) - Università di Pisa

Note

Foto: Claudio D'Onofrio, Puntoni Piero Ampelografia: Claudio D'Onofrio, Belluomini Paolo, Calabrò Rolando, Rocco Fausta Ampelometria: Claudio D'Onofrio Fenologia: Claudio D'Onofrio, Ducci Eleonora, Matarese Fabiola, Cuzzola Angela SSR: Claudio D'Onofrio, Matarese Fabiola