


Raboso Piave

Giust M., Migliaro D., Crespan M., 2015. Raboso Piave. In: Italian Vitis Database. www.vitisdb.it, ISSN 2282-006X
 release 17/06/2015. Last update 17/06/2015 url http://vitisdb.it/varieties/show/1165
 general information managed by

Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria - Centro di ricerca per la viticoltura (Conegliano TV)
botanical information name Raboso Piave type of origin spontanea specie Vitis vinifera variety group not available genera Vitis subspecies saliva variety for wine trueness to type confirmed by ampelography and SSR-markers code IVD-var_247
true-name confirmed yes
registration Registered in the National Catalogue yes
synonyms official synonyms (1) synonyms reported in the National Catalogue <ul style="list-style-type: none"> Friularo(Bagnoli, Padova)
main accession info main accession Raboso Piave creation submitter Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria - Centro di ricerca per la viticoltura (Conegliano TV)
standardized accessions (1) <ul style="list-style-type: none"> Raboso Piave - Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria - Centro di ricerca per la viticoltura (Conegliano TV)
all accessions (1) <ul style="list-style-type: none"> Raboso Piave - Consiglio per la ricerca in agricoltura e l'analisi dell'economia agraria - Centro di ricerca per la viticoltura (Conegliano TV)
released clones no clone available for Raboso Piave
standardized microsatellite profile loci: predefined loci (9) SSR locus: VVS2 VVMD5 VVMD7 VVMD27 VrZAG62 VrZAG79 VVMD25 VVMD28 VVMD32 allele: A1 A2 A1 A2 A1 A2 A1 A2 A1 A2 A1 A2 A1 A2 A1 A2 A1 A2 A1 A2 size: 135 143 227 231 247 257 185 189 196 196 243 251 256 256 237 237 273 273
other Locus info available online



leaflets



bunch



berry

ampelography

OIV	description	value	value
001	Young shoot: opening of the shoot tip	5	fully open
002	Young Shoot: distribution of anthocyanin coloration on prostrate hairs of tip	1	absent
003	Young Shoot: intensity of anthocyanin coloration on prostrate hairs of tip	1	none or very low
004	Young Shoot: density of prostrate hairs on tip	9	very high
005	Young Shoot: density of erect hairs on tip	1	none or very low
006	Shoot: attitude (before tying)	7	semi-drooping
007	Shoot: color of dorsal side of internodes	2	green and red
008	Shoot: color of ventral side of internodes	1	green
009	Shoot: color of dorsal side of nodes	3	red
010	Shoot: color of ventral side of nodes	2	green and red
011	Shoot: density of erect hairs on nodes	1	none or very low
012	Shoot: density of erect hairs on internodes	1	none or very low
013	Shoot: density of prostrate hairs on nodes	1	none or very low
014	Shoot: density of prostrate hairs on internodes	1	none or very low
015-1	Shoot: area of the anthocyanin coloration on bud scales	4	almost on the whole bud scale
015-2	Shoot: intensity of anthocyanin coloration on bud scales	5	medium
016	Shoot: number of consecutive tendrils	1	2 or less
017	Shoot: length of tendrils	3	short
051	Young leaf: color of the upper side of blade (4th leaf)	1 / 2	green / yellow
053	Young leaf: density of prostrate hairs between main veins on lower side of blade (4th leaf)	7 / 9	high / very high
054	Young leaf: density of erect hairs between main veins on lower side of blade (4th leaf)	1	none or very low
055	Young leaf: density of prostrate hairs on main veins on lower side of blade (4th leaf)	5	medium
056	Young leaf: density of erect hairs on main veins on lower side of blade (4th leaf)	3	low
065	Mature leaf: size of blade	6	medium-large
067	Mature leaf: shape of blade	3	pentagonal
068	Mature leaf: number of lobes	2 / 3 (4)	three / five
069	Mature leaf: color of the upper side of blade	7	dark green
070	Mature leaf: area of anthocyanin coloration of main veins on upper side of blade	1	absent
071	Mature leaf: area of anthocyanin coloration of main veins on lower side of blade	1	absent
072	Mature leaf: goffering of blade	1	absent or very weak
073	Mature leaf: undulation of blade between main and lateral veins	1	absent
074	Mature leaf: profile of blade in cross section	4 / 5	revolute / twisted
075	Mature leaf: blistering of upper side of blade	5	medium
076	Mature leaf: shape of teeth	3	both sides convex
077	Mature leaf: size of teeth in relation to blade size	5	medium
078	Mature leaf: length of teeth compared with their width	4	medium-short
079	Mature leaf: degree of opening / overlapping of petiole sinus	3	open
080	Mature leaf: shape of base of petiole sinus	1 / 3	U-shaped / V-shaped
081-1	Mature leaf: teeth in the petiole sinus	1	none
081-2	Mature leaf: petiole sinus base limited by veins	1	not limited
082	Mature leaf: degree of opening / overlapping of upper lateral sinus	2 / 1	closed / open
083-1	Mature leaf: shape of base of upper lateral sinuses	1	U-shaped
083-2	Mature leaf: teeth in the upper lateral sinuses	1	none
084	Mature leaf: density of prostrate hairs between the main veins on lower side of blade	7	high
085	Mature leaf: density of erect hairs between the main veins on lower side of blade	5	medium
086	Mature leaf: density of prostrate hairs on main veins on lower side of blade	3	low
087	Mature leaf: density of erect hairs on main veins on lower side of blade	7	high
088	Mature leaf: prostrate hairs on main veins on upper side of blade	1	absent
089	Mature leaf: erect hairs on main veins on upper side of blade	1	absent
090	Mature leaf: density of prostrate hairs on petiole	1	none or very low
091	Mature leaf: density of erect hairs on petiole	3	low
093	Mature leaf: length of petiole compared to length of middle vein	5 / 3	equal / slightly shorter
094	Mature leaf: depth of upper lateral sinuses	5	medium
151	Flower: sexual organs	3	fully developed stamens and fully developed gynoecium
152	Inflorescence: insertion of 1st inflorescence	2	3rd and 4th node
153	Inflorescence: number of inflorescences per shoot	2	1,1 to 2 inflorescences
155	Shoot: fertility of basal buds (buds 1-3)	3	low (0,7-0,9)
202	Bunch: length (peduncle excluded)	6 / 7	medium-long / long
203	Bunch: width	4	medium-narrow
204	Bunch: density	8	between dense and very dense
206	Bunch: length of peduncle of primary bunch	5	medium
207	Bunch: lignification of peduncle	5	up to about the middle
208	Bunch: shape	1 / 3	cylindrical / funnel shaped
209	Bunch: number of wings of the primary bunch	2 / 3	1 - 2 wings / 3 - 4 wings

images



220	Berry: length	4	medium-short
221	Berry: width	4	medium-narrow
222	Berry: uniformity of size	2	uniform
223	Berry: shape	2	globose
225	Berry: color of skin	6	blue black
226	Berry: uniformity of color of skin	2	uniform
227	Berry: bloom	7	high
228	Berry: thickness of skin	7	thick
229	Berry: hilum	1	little visible
231	Berry: intensity of flesh anthocyanin coloration	1	none or very weak
232	Berry: juiciness of flesh	3	very juicy
235	Berry: firmness of flesh	2	slightly firm
236	Berry: particularity of flavor	1	none
238	Berry: length of pedicel	3	short
240	Berry: ease of detachment from pedicel	3	difficult
241	Berry: formation of seeds	3	complete
242	Berry: length of seeds	5	medium
243	Berry: weight of seeds	3	low
244	Berry: transversal ridges on dorsal side of seeds	1	absent



ampelometry

OIV PDF	description		value
601	Mature leaf: length of vein N1	5	medium (135 mm)
602	Mature leaf: length of vein N2	6	medium-long
603	Mature leaf: length of vein N3	6	medium-long
604	Mature leaf: length of vein N4	8	between long and very long
605	Mature leaf: length petiole sinus to upper lateral leaf sinus	5	medium (70 mm)
606	Mature leaf: length petiole sinus to lower lateral leaf sinus	6	medium-long
607	Mature leaf: angle between N1 and N2 measured at the first ramification	5	medium (46°-55°)
608	Mature leaf: angle between N2 and N3 measured at the first ramification	5	medium (46°-55°)
609	Mature leaf: angle between N3 and N41 measured at the first ramification	5	medium (46°-55°)
610	Mature leaf: angle between N3 and the tangent between petiole point	9	very large (> 70°)
611	Mature leaf: length of vein N5	4	medium-short
612	Mature leaf: length of tooth N2	2	between very short and short
613	Mature leaf: width of tooth N2	4	medium-narrow
614	Mature leaf: length of tooth N4	1	very short (6 mm)
615	Mature leaf: width of tooth N4	3	narrow (10 mm)
616	Mature leaf: number of teeth between the tooth tip of N2 and the tooth tip of the first secondary vein of N2 including the limits	6	medium-large
617	Mature leaf: length between the tooth tip of N2 and the tooth tip of the first secondary vein of N2	6	medium-long
618	Mature leaf: opening/overlapping of petiole sinus	1	wide open (up to about -35 mm)

superampelo

no SuperAmpelo descriptors available for Raboso Piave

bibliographies (5)

authors	year	title	journal	citation
Bardini G., Cancellier S., Bornaia M.	2005	Il Re Raboso. In "Cantina sociale Tezze di Piave dal 1930. Un cammino su antiche tradizioni vitivinicole"		IMOCO Industrie Grafiche Ed., Villorba, Treviso, Italy
Cancellier S., Michelet E., Rorato G.	2008	I vini Rabosi - Storia, cultura e tecniche produttive di antichi vitigni veneti		Dario De Bastiani Editore, Vittorio Veneto (TV)
Crespan M., Cancellier S., Chies R., Giannetto S., Meneghetti S.	2006	Individuati i genitori del Raboso veronese: una nuova ipotesi sulla sua origine (The parents of Raboso veronese were discovered: a new hypothesis on its origin)	Rivista di Viticoltura e di Enologia	1: 3-12
Crespan M., Cancellier S., Giannetto S.	2004	Raboso Piave e Raboso Veronese: padre e figlio?	Rivista di Viticoltura e di Enologia	1-2: 51- 57
Salmaso M., Dalla Valle R., Lucchin M.	2008	Gene pool variation and phylogenetic relationships of an indigenous northeast Italian grapevine collection revealed by nuclear and chloroplast SSRs	Genome	51: 838-855